

DRAFT

EVALUATION REPORT

P & N Shell #135695
510 International Blvd.
Oakland, CA 94606
GDF#9331
Application #14333

BACKGROUND

RHL Design Group, Inc. on behalf of P & N Shell #135695, has submitted this application to increase the throughput limit at G#9331. No hardware modification has been proposed at this time. This station is currently permitted at 1.44 million gallons per year (condition #8748). This is also the baseline established under A/N 23880.

A risk screen performed for this application indicates that an increase of 1.15 million-gallons per year throughput is acceptable under the District's Risk Management Policy. Accordingly, this station will now be conditioned to 2.59 million gallons per year pursuant to condition #10575.

This station is within 1,000 feet of La Escuelita Elementary School and within ¼ mile of Dewey Academy Senior High School and MetWest High School triggering the Public Notice requirements of the Waters Bill. There are no other schools within ¼ mile of this station.

Before the throughput increase can be approved, a 30-day public comment period will be held. Notice describing the project and announcing the public comment period will be mailed to the parents of students attending the above school and people living within 1,000 feet of the station. The cost of preparing and distributing this notice will be borne by the applicant.

EMISSION CALCULATIONS

Emission factors are taken from the Gasoline Service Station Industry-wide Risk Assessment Guidelines developed by the California Air Pollution Officers Association's (CAPCOA) Toxics Committee. Emissions of Precursor Organic Compound (POC) include emissions from loading, breathing, refueling and spillage. The annual gasoline throughput increase of 1.15 million gal per year is based on the results of the Air Toxics Risk Screening.

Emissions increase:

(1.15 million gal/yr)(1.27 lb/1000 gal)	= 1460.5 lb/yr
	= 4.0 lb/day
	= .73 TPY

Benzene emissions increase: (emission rate, 6.75 #/million gallons)
 * (1.15 million gallons increase per year)
 = 7.76 #/yr

NEW SOURCE REVIEW

This station will emit less than 10# of VOC in a single day. Thus the BACT requirement of Regulation 2-2-301 is not triggered.

BACT for GDFs is considered the use of CARB-certified Phase-I and Phase-II vapor recovery equipment. State law prohibits the District from requiring vapor recovery equipment that is not CARB-certified.

Emissions from this station will remain less than 10 tpy. Per Regulation 2-2-302, offsets are not required.

TBACT

The increased risk from this project exceeds 1 per million, triggering the use of TBACT equipment. TBACT for GDFs is considered the use of CARB-certified Phase-I and Phase-II vapor recovery equipment. State law prohibits the District from requiring vapor recovery equipment that is not CARB-certified.

COMPLIANCE

A. Permits – General Requirements, Regulation 2, Rule 1

1. **California Environmental Quality ACT (CEQA), Ministerial Projects, Regulation 2-1-311:** This project is considered to be ministerial under Regulation 2-1-311 and therefore is not subject to CEQA review. The engineering review for this project requires only the application of standard permit conditions and standard emission factors in accordance with Permit Handbook Chapter 2.3. and therefore is not discretionary as defined by CEQA.
2. **Public Notice, Schools, Regulation 2-1-412:** The facility is located within 1000 feet of the outer boundary of La Escuelita Elementary School and within ¼ mile of Dewey Academy Senior High School and MetWest High School. It is therefore subject to the public notification requirements of Regulation 2-1-412. A public notice will be sent to all parents of students of the above-mentioned school and all residents within 1000 feet of the facility. There will be a 30-day public comment period.

B. Permits – New Source Review, Regulation 2, Rule 2

1. **Best Available Control Technology (BACT), Regulation 2-2-301:** BACT is not triggered because the facility will not emit more than 10 lbs of VOC per single day.
2. **Offsets, Regulation 2-2-302:** Because the total facility emissions will be less than 10 tons per year, the facility is not required to provide offsets.

C. Permits – New Source Review of Toxic Air Contaminants, Regulation 2, Rule 5

1. **Best Available Control Technology for Toxics (TBACT), Regulation 2-5-301:** TBACT is triggered since the increased cancer risk from this project exceeds 1 in one million. The facility complies with TBACT for GDFs.

2. **Project Risk Requirement, Regulation 2-2-302:** The increased cancer risk does not exceed 10 in one million, the chronic and acute hazard indexes do not exceed 1, and therefore the project complies with the project risk requirement.

D. **Fees – Regulation 3**

All applicable fees have been paid.

E. **Gasoline Dispensing Facilities, Regulation 8, Rule 7**

The facility shall comply with Regulation 8-7-301 and 302 (Phase I and Phase II) and CARB Executive Orders VR-102-D and G-70-125-AA, and G-70-52-AM.

RECOMMENDATION

I recommend that a Change of Conditions be issued to P&N Shell #135695 located at 510 International Boulevard, Oakland, CA 94606.

By: _____
Lorna Santiago
AQ Permit Technician

Date: _____
4/5/06